	Application No.	Applicant(s)	
Notice of Allowability	10/535,649	BROCKHOFF, FRANZ-ULRICH	
	Examiner	Art Unit	
	Kiran B. Patel	3612	
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate commits (GHTS). This application is	n this application. If not included unication will be mailed in due course. THIS	/e .
1. This communication is responsive to <u>11/07/06</u> .			:
2. The allowed claim(s) is/are <u>1-16</u> .			
 3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 	e been received.		
3. Copies of the certified copies of the priority do	• •		
International Bureau (PCT Rule 17.2(a)).	cuments have been receive	u in this hadonal stage application from the	
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		e a reply complying with the requirements	
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.		
(a) \square including changes required by the Notice of Draftspers	on's Patent Drawing Revie	w (PTO-948) attached	
1) 🗌 hereto or 2) 📋 to Paper No./Mail Date	•		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment o	r in the Office action of	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on t he header according to 37 C	he drawings in the front (not the back) of R 1.121(d).	
6. DEPOSIT OF and/or INFORMATION about the depo- attached Examiner's comment regarding REQUIREMENT			:
Attachment(s)			
1. ☑ Notice of References Cited (PTO-892)	5. Notice of Ir	formal Patent Application	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		ummary (PTO-413), /Mail Date	
3. M Information Disclosure Statements (PTO/SB/08),		Amendment/Comment	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. 🛭 Examiner's	Statement of Reasons for Allowance	
of Biological Material	9. 🗌 Other		

Art Unit: 3612

Examiner's Amendment and Examiner's Statement of Reasons for Allowance Allowance (11/12/06)

1. An Examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for the following Examiner's amendment was given in a telephone interview with Mr. Kueffner 11/7/06.

- 2. The claims were further amended to read as follows:
- 1. (Currently Amended) A motor Motor vehicle (1) with a roof (2) that has at least one movable roof part (3) which can be moved as a whole between an open position and a closed position and which, in the closed position, extends between the area near a windshield frame (4) and a rear, especially rigid, roof part (5, 5a), wherein the movable roof part (3) is divided into several connected sections (15, 16) in such a way that it can be varied between a normal width and a narrowed width by displacement of sections (16), and, when it is in its state of

Art Unit: 3612

narrowed width, it can be moved between its open position and its closed position, and that to produce this narrowed width, the outer sections (16) are lifted at the same time.

Page 3

- 2. (Currently Amended) The motor Motor vehicle in accordance with Claim 1, characterized by the fact that wherein the movable roof part (3) is divided into a middle section (15) with respect to a vertical longitudinal center plane (E) and two outer sections (16).
- 3. (Currently Amended) The motor Motor vehicle (1) with a roof (2) that has at least one part (3) which can be moved as a whole between an open position and a closed position, and which, in the closed position, extends between the area near a windshield frame (4) and a rear, especially rigid, roof part (5, 5a), especially in accordance with Claim 1, wherein, the movable roof part (3) is divided into several connected sections (15, 16) in such a way that it can be varied between a normal width and a narrowed width by displacement of sections (16), and, when it is in its state of narrowed width, it can be moved between its open position and its closed position, and when it the movable roof part (3) has its normal width, it

Art Unit: 3612

occupies the full transverse extent between the upper edges of side windows (9) of the motor vehicle (1), and the separating lines (14) are located at a distance of less than 20 centimeters from the upper edges of the side windows (9).

- 4. (Currently Amended) The motor Motor vehicle in accordance with Claim 3, wherein the outer sections (16) constitute lateral frame parts (10), which, in the normal position, form a section of lateral roof frames (11) between a windshield frame (4) and a rear roof part (5, 5a).
- 5. (Currently Amended) The motor Motor vehicle in accordance with Claim 4, wherein in the closed position of the roof, the frame parts (10) are locked on at least one of the windshield frame (4) and/or the rear roof part (5, 5a), and that this lock can be released by the inward displacement of the outer sections (16).
- 6. (Currently Amended) The motor Motor vehicle (1) in accordance with Claim 1, wherein the middle section (15) is supported on a linkage (23) in such a way

Art Unit: 3612

that it can be independently moved and that it can be moved by the linkage (23) between the open position and the closed position.

Page 5

- 7. (Currently Amended) The motor Motor vehicle in accordance with Claim 1, wherein the outer sections (16), which are located laterally on the outside with respect to a vertical longitudinal center plane (E), can be swung inward towards the middle section (15).
- 8. (Currently Amended) The motor Motor vehicle in accordance with Claim 7, wherein a multijoint linkage (17) is provided to effect this inward rotation.
- 9. (Currently Amended) The motor Motor vehicle in accordance with Claim 1, wherein it is a vehicle with a targa roof.
- 10. (Currently Amended) The motor Motor vehicle in accordance with Claim 1, wherein the movable roof part (3) can be lowered in an essentially horizontal open position above a rear-end, essentially horizontal region of the automobile body, especially a trunk lid.

Art Unit: 3612

11. (Currently Amended) The motor Motor vehicle in accordance with Claim 1, wherein the rear roof part (5, 5a) can be swung open at least partially about a rear axis (33) to create an opening for the passage of the movable roof part (3) and can be swung closed again over the open roof part (3).

Page 6

- 12. (Currently Amended) The motor Motor vehicle in accordance with Claim 1, wherein the rear roof part (5) is designed with a fin structure, and lateral cover frame parts (31) that rest on the fins (7) can be swung open about a rear axis (33) to create an opening for the passage of the movable roof part (3) and can be swung closed again over the open roof part (3).
- 13. (Currently Amended) The motor Motor vehicle in accordance with Claim 12, wherein a transverse frame part (32), which overlaps a rear window (6) situated between the fins (7), can also be swung open along with the lateral frame parts (31) of the rear roof part (5).

Art Unit: 3612

14. (Currently Amended) The motor Motor vehicle in accordance with Claim 11, wherein the movement of the frame parts (31, 32) is linked by program control with the displacement movement of the outer sections (16) of the front roof part (3).

Page 7

- 15. (New) The motor vehicle according to claim 1, wherein the roof part (5, 5a) is rigid.
- 16. (New) The motor vehicle according to claim 10, wherein the movable roof part (3) can be lowered above a trunk lid.
- 3. The following is an Examiner's statement of reasons for allowance:

The primary reason for the allowance of the claims in this case, is the inclusion of the limitation "at least one movable roof part which can be moved as a whole between an open position and a closed position and which, in the closed position, extends between the area near a windshield frame and a rear roof part wherein the movable roof part is divided into several connected sections in such a way that it can be varied between a normal width and a narrowed width by displacement of sections, and, when it is in its state of narrowed width, it can be

Art Unit: 3612

moved between its open position and its closed position, and that to produce this narrowed width, the outer sections are lifted at the same time" in the independent claim, in combination with the other recited limitations in claims supported by this application, which are not found in the prior art of record.

- 4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 5. Any inquiry concerning this communication or earlier communications should be directed to Primary Examiner Kiran B. Patel whose telephone number is 571-272-6665. The examiner can normally be reached on M-F from 8:00 to 5:00. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Kiran B. Patel, P. E. Primary Examiner Art Unit 3612 Page 8

November 12, 2006